







IE-IFLEX[®]



FOR USE IN ALL PIPING SYSTEMS



IE-FILIEX®



單球橡膠接頭

STYLE..FSF

尺 寸		長 度	運 動 量				工 作 壓 力	
inch	mm	Natural length	收 縮	伸 長	變 位 量	角 度	壓 力	真 空
1-1/4"	32	95	8	4	8	15°	225	600
1-1/2"	40	95	8	4	8	15°	225	600
2"	50	105	8	5	8	15°	225	600
2-1/2"	65	115	12	6	10	15°	225	600
3"	80	130	12	6	10	15°	225	600
4"	100	135	18	10	12	15°	225	600
5"	125	170	18	10	12	15°	225	600
6"	150	180	18	10	12	15°	225	600
8"	200	205	25	14	22	15°	225	600
10"	250	240	25	14	22	15°	225	600
12"	300	260	25	14	22	15°	225	600
14"	350	265	25	14	22	15°	150	600
16"	400	265	25	14	22	15°	125	600
18"	450	265	25	14	22	15°	125	600
20"	500	265	25	14	22	15°	125	600

STYLE..FSFA

1	25	152	13	9	13	15°	225	600
1-1/4"	32	152	13	9	13	15°	225	600
1-1/2"	40	152	13	9	13	15°	225	600
2"	50	152	13	9	13	15°	225	600
2-1/2"	65	152	13	9	13	15°	225	600
3"	80	152	13	9	13	15°	225	600
4"	100	152	19	13	13	15°	225	600
5"	125	152	19	13	13	15°	225	600
6"	150	152	19	13	13	15°	225	600
8"	200	152	19	13	13	15°	225	600
10"	250	203	25	16	19	15°	225	600
12"	300	203	25	16	19	15°	150	600
14"	350	203	25	16	19	15°	125	600
16"	400	203	25	16	19	15°	125	600
18"	450	203	25	16	19	15°	125	600
20"	500	203	25	16	19	15°	125	600
22"	550	254	22	16	19	15°	115	600
24"	600	254	25	16	19	15°	110	600

STYLE..FSFB

1-1/4"	32	125	13	9	13	15°	225	600
1-1/2"	40	125	13	9	13	15°	225	600
2"	50	125	13	9	13	15°	225	600
2-1/2"	65	125	13	9	13	15°	225	600
3"	80	125	13	9	13	15°	225	600
4"	100	125	13	9	13	15°	225	600
5"	125	125	13	9	13	15°	225	600
6"	150	125	13	9	13	15°	225	600
8"	200	125	13	9	13	15°	225	600
10"	250	125	13	9	13	10°	225	600
12"	300	125	13	9	19	10°	225	600



E-FLEX®



雙球橡膠接頭

STYLE..FTF

尺 寸		長 度	運 動 量				工 作 壓 力	
inch	mm	Natural length	收 縮	伸 長	變 位 量	角 度	壓 力	真 空
1-1/4"	32	175	53	27	45	40°	225	600
1-1/2"	40	175	53	27	45	40°	225	600
2"	50	175	53	27	45	40°	225	600
2-1/2"	65	175	53	27	45	40°	225	600
3"	80	175	53	27	45	40°	225	600
4"	100	225	53	31	40	35°	225	600
5"	125	225	53	31	40	35°	225	600
6"	150	225	53	31	40	35°	225	600
8"	200	325	65	30	35	30°	225	600
10"	250	325	65	30	35	30°	225	600
12"	300	325	65	30	35	30°	225	600
14"	350	350	43	30	30	20°	150	600
16"	400	350	43	30	30	20°	125	600
18"	450	350	43	30	30	20°	125	600
20"	500	350	43	30	30	20°	125	600
24"	600	350	43	30	30	20°	110	600

雙球橡膠接頭

UNION TYPE STYLE..FTUA

尺 寸		長 度	運 動 量				工 作 壓 力	
inch	mm	Natural length	收 縮	伸 長	變 位 量	角 度	壓 力	真 空
3/4"	20	203	22	6	22	32°	150	500
1"	25	203	22	6	22	25°	150	500
1-1/4"	32	203	22	6	22	25°	150	500
1-1/2"	40	203	22	6	22	20°	150	500
2"	50	203	22	6	22	15°	150	600
2-1/2"	65	203	22	6	22	12°	150	600
3"	80	203	22	6	22	10°	150	600

